

**MEMO SHEET****BACKGROUND OF THE INVENTION****1. Field of the Invention**

The invention relates to a memo sheet, more  
5 particularly to a memo sheet with cover and hidden parts.

**2. Description of the Related Art**

Referring to Figures 1 and 2, a record book or pad,  
as disclosed in European Patent Application No. 0601696,  
comprises record and removable sheets 11, 12 in an  
10 overlying relationship, and direct image transfer means  
13 between the record and removable sheets 11, 12. The  
record and removable sheets 11, 12 are disposed  
alternately so that a removable sheet 12 overlies a  
record sheet 11 in each pair. When a message is written  
15 on the removable sheet 12, due to a writing pressure  
applied to the direct image transfer means 13, the  
message is reproduced on the record sheet 11 that is  
paired with the removable sheet 12.

This reference further discloses an adhesive line  
20 14 provided on one side of each record sheet 11 so that  
when the removable sheet 12 is removed, the record sheet  
11 can be folded and remain folded through the adhesive  
line 14 so as to hide the message.

Referring to Figure 3, a confidential message  
25 envelope disclosed in British Patent Application No.  
2238016 comprises three sheets 21, 22, 23 disposed one  
above the other. The middle and back sheets 22, 23 are

joined together in a releasably sealed manner to define an inner envelope. The front sheet 21 is releasably joined to the inner envelope. The middle sheet 23 includes a layer of ink or like marking material (not shown) on its reverse side. When a message is written on the front sheet 21, through the ink layer, the message is transferred to the back sheet 23 but not on the middle sheet 22, after which the front sheet 21 can be detached from the inner envelope. The intended recipient separates the middle sheet 22 from the back sheet 23 to reveal the message.

The aforementioned references use respectively the direct image transfer means 13 and the ink layer to reproduce and to transfer the message onto the respective record sheet 11 and back sheet 23. Moreover, different hiding methods, such as by folding or by covering with a cover, are employed to hide the message.

However, the products of the aforementioned references face the same drawback, that is, a material with a duplicating or transferring function must be applied onto one of the layers of the structure, so that the message can be duplicated or transferred, as in these cases, from the removable sheet 12 to the record sheet 11 or from the front sheet 21 to the back sheet 23. The whole production process is accordingly relatively complicated. Moreover, the products of the aforementioned references are not provided with an

adhering positioning effect for adhering the message on a surface. As a consequence, the message is often lost and is not relayed to the intended recipient.

#### **SUMMARY OF THE INVENTION**

5       Therefore, the object of the present invention is to provide a memo sheet that is capable of overcoming the aforementioned drawbacks of the prior art.

      According to this invention, a memo sheet comprises a sheet member, a fold line, and a releaseable adhesive  
10       layer. The sheet member has a front side and a back side opposite to the front side. The fold line is formed on and divides the sheet member into a cover part and a hidden part. Each of the cover and hidden parts has a marking face and a back face opposite to the marking  
15       face. The marking faces of the cover and hidden parts are arranged at the front side of the sheet member. The back faces of the cover and hidden parts are arranged at the back side of the sheet member. The sheet member is foldable along the fold line to place the back face  
20       of the hidden part over the back face of the cover part. The adhesive layer is provided on the back face of one of the cover and hidden parts. The back face of the hidden part is adhered to the back face of the cover part through the adhesive layer when the sheet member is folded. The  
25       marking face of the hidden part is placed opposite to the marking face of the cover part when the sheet member is folded.

**BRIEF DESCRIPTION OF THE DRAWINGS**

Other features and advantages of the present invention will become apparent in the following detailed description of the preferred embodiments with reference  
5 to the accompanying drawings, of which:

Figures 1 and 2 illustrate a record book or pad disclosed in European Patent Application No. 0601696;

Figure 3 illustrates a confidential message envelope disclosed in British Patent Application No. 2238016;

10 Figure 4 is a perspective view of the first preferred embodiment of a memo sheet according to the present invention, illustrating the memo sheets of the present invention arranged in a stack;

Figure 5 is a side sectional view of the first  
15 preferred embodiment;

Figure 6 illustrates the first preferred embodiment in a state of use;

Figure 7 is a perspective view of the second preferred embodiment of a memo sheet according to the present  
20 invention; and

Figure 8 is a perspective view of the third preferred embodiment of a memo sheet according to the present invention.

**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

25 Before the present invention is described in greater detail, it should be noted that like elements are denoted by the same reference numerals throughout the

disclosure.

Referring to Figures 4, 5 and 6, the first preferred embodiment of a memo sheet 3 according to the present invention is shown to comprise a sheet member 31, a fold  
5 line 32, a first adhesive layer 33, and a second adhesive layer 34.

The sheet member 31 has a rectangular cross-section, a front side 311, a back side 312 opposite to the front side 311, opposite first and second side edges 310, 310'  
10 extending in a longitudinal direction, and third and fourth side edges 310a, 310b extending in a transverse direction relative to the longitudinal direction.

The fold line 32 is formed on the sheet member 31 and extends in the transverse direction from the first  
15 side edge 310 to the second side edge 310' so as to divide the sheet member 31 into a cover part 313 and a hidden part 314. Preferably, the hidden part 314 has an area smaller than that of the cover part 313. The cover part 313 can be initially printed with different words. In  
20 this embodiment, the fold line 32 is a marked line. Each of the cover and hidden parts 313, 314 has a marking face 315, 316 and a back face 317, 318 opposite to the marking face 315, 316. The marking faces 315, 316 of the cover and hidden parts 313, 314 are arranged at the  
25 front side 311 of the sheet member 31. The back faces 317, 318 of the cover and hidden parts 313, 314 are arranged at the back side 312 of the sheet member 31.

In this embodiment, the first adhesive layer 33 is made of a removable pressure sensitive adhesive, which is a resin containing elastomeric microsphere or micro particles. The first adhesive layer 33 is circular, and  
5 is provided on the back face 318 of the hidden part 314 of the sheet member 31 in the preferred embodiment. When the sheet member 31 is folded, the back face 318 of the hidden part 314 is adhered to the back face 317 of the cover part 313 through the first adhesive layer 33. As  
10 such, the marking face 316 of the hidden part 314 is placed opposite to the marking face 315 of the cover part 313 when the sheet member 31 is folded.

The second adhesive layer 34 is also made of a removable pressure sensitive adhesive, and is provided  
15 on the back face 317 of the cover part 313 of the sheet member 31 in this embodiment. Moreover, in this embodiment, the second adhesive layer 34 is an adhesive strip extending from the first side edge 310 to the second side edge 310' of the sheet member 31, and is disposed  
20 adjacent to the third side edge 310a of the sheet member 31.

In a state prior to use, a plurality of memo sheets 3 are stacked to form a memo pad 3' (see Figures 4 and 5) so as to facilitate storage. If use of the memo sheet  
25 3 is desired, the uppermost sheet member 31 of the memo pad 3' is removed. The name of the recipient and the name of the sender are written on the marking face 315

(see Figure 4) of the cover part 313, while a message (not shown) is written on the marking face 316 (see Figure 4) of the hidden part 314. Then, the sheet member 31 is folded along the fold line 32 in such a manner that the back face 318 of the hidden part 314 is placed over the back face 317 of the cover part 313 and such that a portion of the back face 317 of the cover part 313 is hidden, and the other portion thereof is exposed, as best illustrated in Figure 6. The second adhesive layer 34 is located on the exposed portion of the back face 317 of the cover part 313. The hidden part 314 of the sheet member 31 remains folded at this time due to effect of the first adhesive layer 33 on the back face 317 of the cover part 313 so as to hide the message.

The folded sheet member 31 is then adhered to a surface, such as a wall surface 4 (see Figure 6). The folded sheet member 31 is adhered temporarily and releasably to the wall surface 4 through the removable pressure sensitive property of the second adhesive layer 34, and can be repeatedly applied to other surfaces, such as a computer monitor or a working table surface. The message is further hidden between the cover part 313 and the wall surface 4, thereby achieving the purpose of keeping the message hidden. When the intended recipient wishes to read the message, he/she simply detaches the memo sheet 3 from the wall surface 4 and unfolds the sheet member 31.

It is noted that the memo sheet 3 of the present invention uses the fold line 32 to divide the sheet member 31 into the cover part 313, which is exposed for public viewing, and the hidden part 314, where a written message is hidden by the cover part 313. The sheet member 31 is foldable along the fold line 32, and remains folded through the effect of the first adhesive layer 33 on the back face 317 of the cover part 313 so as to hide the message on the hidden part 314. The hidden part 314 is further hidden between the cover part 313 and the wall surface 4 through the removable pressure sensitive property of the second adhesive layer 34, thereby completely dispensing with the need for a multi-layered duplicate or transfer means to achieve the purpose of hiding messages.

Furthermore, the first adhesive layer 33 and the second adhesive layer 34 are disposed on the back side 312 of the sheet member 31 so that writing on the front side 311 of the sheet member 3 is smooth.

Referring to Figure 7, the second preferred embodiment of the memo sheet 3 according to the present invention is shown to be substantially similar to the first preferred embodiment. However, in this embodiment, the hidden part 314 of the sheet member 31 has a semi-oval shape. The first adhesive layer 33 is provided on the back face 317 of the cover part 313, and is disposed adjacent to the second adhesive layer 34. The fold line



32, in this embodiment, is a scored line.

Referring to Figure 8, the third preferred embodiment of the memo sheet 3 according to the present invention is shown to be substantially similar to the first preferred embodiment. However, in this embodiment, the first and second side edges 310, 310' of the sheet member 31 are formed respectively with first and second cutout portions 321, 321'. The fold line 32 extends from the first cutout portion 321 to the second cutout portion 321'. The first adhesive layer 33 is an adhesive strip extending from the first side edge 310 to the second side edge 310' of the sheet member 31, and is disposed adjacent to the second adhesive layer 34.

While the present invention has been described in connection with what is considered the most practical and preferred embodiments, it is understood that this invention is not limited to the disclosed embodiments but is intended to cover various arrangements included within the spirit and scope of the broadest interpretation so as to encompass all such modifications and equivalent arrangements.